


Transport & Rescue System 2021



Mountain - Cave - Canyon - Sea - Helicopter lifting

UT2000 - the perfect tool for all rescue situations

Perfected and thought-out down to the last detail



Technical data:

Length without removable frame: 94 cm, coupled as stretcher 180 cm.

Length with removable frame: 104 cm, coupled as stretcher 200 cm.

Width: 44 cm

Height: 12 cm

Weight of complete back-frame: approx. 4,0 kg.

Weight coupled as stretcher: approx. 8,0 kg.

Load capacity as back-transporting device: normally max. 50 kg is permitted

Load capacity as coupled stretcher: 160 kg

Temperature resistance: - 50° C to +100° C

Flight approvals: Austria: AUT-Austro Control, FS 3/88, issue 2 –ZI.6421-1/15-95


Germany: D-Luftfahrtverträglichkeitsprüfung Reg.6545-2005-01

Art.No.: 46.000.002 x 2 (complete stretcher)

Transport all rescue and medical equipment in pathless difficult terrain to the scene of accident.



2 coupled together...



make up a very capable rescue stretcher that can be pulled on the ground in all directions.....

....and be lifted by helicopter



Head protection

*The head cover protects the patient's head in all rescue situations.
It can be rolled and easily stored.*



Wheel Systems

Extension Handles

Fixed angle


or

Adjustable angle
17 positions, 360°



Wheel System with one or two wheels and extension handles with fixed or adjustable angle

Wheel dimension: 40 x 9 cm



Wheel System with one wheel and extension handles with fixed or adjustable angle

Wheel dimension: 50 x 5 cm



Canyon Rescue

Rigid flotation devices



Six rigid flotation devices



Canyon Rescue

Inflatable flotation devices



Ackja System for winter operation

Handle
- with fixed or adjustable angle



One-Man-Ackja

Front frame



















Rear skates
















Two-Man-Ackja



Accessories & Configurations

<p>Stretcher with carrying harness Art. No.: 46.000.002 x 2 Including two back-transporting device with:</p> <ul style="list-style-type: none"> • Tubular frame with sliding surface • Carrying harness • Back net with pocket • Two load/pateint securing straps • Detachable load frame (42.002.100) • Coupling with Satefy Pin and Easy-Opening feature • Coupling protection 	<p>Dimension of stretcher: Length: 200 cm Width: 44 cm Weight: 8,0 kg</p> 
<p>Stretcher without carrying harness Art. No.: 46.000.006 x 2 Including:</p> <ul style="list-style-type: none"> • Tubular frame with sliding surface • Coupling with Safety Pin and Easy-Opening feature 	<p>Dimension of stretcher: Length: 180 cm Width: 44 cm Weight: 4,8 kg</p> 
<p>Load frame Standard, 10 cm Art. No.: 42.002.100 Length: 10 cm Weight: 0,4 kg</p> 	<p>Dimension of stretcher with load frame: Length: 200 cm Width: 44 cm Weight: 4,8 kg</p> 
<p>Load frame Large, 20 cm Art. No.: 42.000.030 Length: 20 cm Weight: 0,5 kg</p> 	<p>Dimension of stretcher with load frame: Length: 220 cm Width: 44 cm Weight: 4,8 kg</p> 
<p>Width extension frames Art. No.: 42.000.102 (1 pair left & right) Width of stretcher: 60 cm Weight: 2 x 0,6 kg = 1,2 kg</p> 	<p>Dimension of stretcher with load frame: Length: 220 cm Width: 44 cm Weight: 4,8 kg</p> 
<p>Mattress for stretcher with length of 200cm Art. No.: 43.500.103 x 2 Length: 100 cm Width: 40 cm Weight: 1,2 kg</p> <p>Mattress for stretcher with length of 220cm Art. Nr.: 43.500.105 x 2 Length: 110 cm Width: 40 cm Weight: 1,35 kg</p> 	<p>Dimension of stretcher with load frame: Length: 220 cm Width: 44 cm Weight: 4,8 kg</p> 
<p>Back net Art. No.: 42.050.085 Length: 30 cm Width: 26 cm Weight: 0,1 kg</p> 	<p>4 back nets on stretcher</p> 
<p>Patient Restraint Strap with Cobra Quick-Release Metal Buckle Art. No.: RLP2006</p> 	<p>Dimension of stretcher with load frame: Length: 220 cm Width: 44 cm Weight: 4,8 kg</p> 
<p>Patient restraint straps Art. No.: 9006X01 Blue Art. No.: 9049X01 Red Art. No.: 9048X01 Yellow Art. No.: 9053X01 Green Art. No.: 9047X01 Black</p> 	<p>Dimension of stretcher with load frame: Length: 220 cm Width: 44 cm Weight: 4,8 kg</p> 

<p>Extension handle for Wheel System & Ackja System, adjustable Art. No.: 46.100.006 Weight: 3,2 kg</p>	
<p>Extension handle for Wheel System & Ackja System Art. No.: 45.100.006 Weight: 2,4 kg</p>	
<p>Wheel System Alpine One-Wheel-System Art. No.: 45.100.100 Weight: 4 kg Wheel dimension: 40 x 9 cm</p>	<p>Two-Wheel-System Art. No.: 45.100.000 Weight: 9,8 kg</p> 
<p>One-wheel-system Art. No.: 45.100.300 Weight: 5,5 kg Wheel dimension: 50 x 5 cm</p>	
<p>Ackja System Alpine for One-Man-Operation Art. No.: 45.100.013 Weight of Front Frame: 3,5 kg, of Rear Skates 0,6 kg x 2 = 1,2 kg</p>	
<p>Ackja System Alpine for Two-Man-Operation Art. No.: 45.100.030 Weight: 2 x 3,5 kg = 7 kg</p>	
<p>Head Protection Art. No.: 42.000.210 Weight: 1,7 kg</p>	
<p>Rigid Flotation Devices Art. No.: 43.500.001 Length: 70 cm Diameter: 15 cm Weight: 0,65 kg</p>	
<p>Inflatable Flotation Devices</p> <p>Flotation Cylinder for side mount Art. No.: 43.500.102 Length/Width: 74 cm x 15 cm Weight: 0,4 kg</p> <p>Flotation Cylinder for head mount Art.No.: 43.500.101 Length/Width: 42 cm x 15 cm Weight: 0,3 kg</p>	
<p>Carry Handle, removable Art. No.: 9082</p>	

<p>Foot Strap for patient positioning Art. No.: RLP2226-V02</p>	
<p>Shoulder Strap for patient positioning Art. No.: RLP2236</p>	
<p>Carry Bag Art. No.: 44.003.001</p>	

Lifting Straps

<p>STANDARD, horizontal lifting Length adjustable using the red loops.</p> <p>Black straps with red loops for head and foot end, 4 pcs. Yellow straps with red loops for middle part, 2 pcs. Carabiner not included.</p> <p>Art. No.: 42.050.108</p>	
<p>PRO-LIFTING, horizontal lifting Length of yellow head / foot straps are length adjustable using red loops. Length of black straps on the sides are adjustable to desired exact length.</p> <p>4 pcs. yellow straps, head / foot, with red loops 2 pcs. black straps on the sides, length adjustable 2 pcs. Rigging plates 6 pcs. Express loops 6 pcs. Carabiner</p> <p>Art. Nr.: 42.050.109</p>	
<p>PRO LIFTING – horizontal & vertical lifting All straps are adjustable to desired exact length.</p> <p>4 pcs. yellow straps head / foot 2 pcs. black straps on the sides 2 pcs. Rigging plates 6 pcs. Express loops 6 pcs. Carabiner</p> <p>Art. Nr.: 42.050.135</p>	
<p>Bag for Lifting straps Art. No.: 42.050.123</p>	



Emergency & Rescue Systems

Made in Austria

Quality management in accordance with
EN ISO 9001 - EN ISO 13485

certified by



made by:

Kohlbrat & Bunz GmbH
Loretostrasse 4-8
5550 Radstadt
Austria
T: +43 6452 7193 0
F: +43 6452 7193 51
office@kohlbrat-bunz.com
www.kohlbrat-bunz.com