



The rollable Rescue Stretchers RollUP RL2000 - RL3000 - RL4000 Catalogue 2022



Content ***Page***

The perfect rescue solution	
Mountain rescue	4
Water rescue	4
Rescue in windmill	5
Urban height rescue	5
Confined space rescue	5
The Patient friendly stretcher	6
The Rescuer friendly stretcher	7
Choice of RollUP models	
RL2000-RL3000-RL4000	8
Choice of patient restraint straps	8
Choice of lifting bridles	9
RollUP RL2000	
RL2000R-V03	10
with integrated lifting bridle with fixed length	
RL2000R-V13	12
with integrated lifting bridle with adjustable length	
RL2000R-V23	14
with lifting bridle Balance	
RL2000R-V33	16
with lifting bridle Standard	



Content

Page

RollUP RL3000

RL3000R-V03 18
with integrated lifting bridle with fixed length

RL3000R-V13 20
with integrated lifting bridle with adjustable length

RL3000R-V23 22
with lifting bridle Balance

RL3000R-V33 24
for usage with lifting bridle Standard

RollUP RL4000

RL4000R-V03 26
with integrated lifting bridle with fixed length

RL4000R-V13 28
with integrated lifting bridle with adjustable length

RL4000R-V23 30
for usage with lifting bridle Balance

RL4000R-V33 32
for usage with lifting bridle Standard


Lifting bridles

BALANCE & STANDARD 34

Accessories 35

***The perfect solution for most rescue situations
with superior safety, protection and comfort for the patient and ease of use
for the rescuer - ready for everything from helicopter lifting to cave rescue***






RollUP

- *the patient friendly rollable stretcher !*

- **No compression of chest, hips and legs !**

Three removable crosswise affixed glass fibre stiffeners prevents the painful and dangerous compression of the chest, hips and legs while offering the same level of support as a rigid basket stretcher.



- **Protected spine !**

One removable lengthwise affixed stiffener protects the spine when the stretcher is pulled over an edge or rough ground.



RollUP

- *the rescuer friendly rollable stretcher !*

- **The underside is free of straps !**

The lifting straps are either integrated in the strap system or easily hooked into the triangular plates along the stretcher's sides. This is possible because all lifting straps and carry handles are anchored in the patented steel plates the along the edges.



- **Tested and certified !**

The RollUP stretchers successfully passed the TÜV Austria's and the German Army's tests.

TÜV tested and confirmed compliance with the following norms:

EN 813:2008 Seatbelts, EN 1497:2007 Rescue belts, EN 354:2010 Connecting straps, EN 12277:2007 Desender straps, EN 358:2000 Safety belts and connecting straps, DIN 23400:2008 Rescuestretcher for mining

The German Army has approved the stretcher for helicopter lifting.

Reg.-Nr.: 6545-2013-01, Issue 4 of 14.8.2015

**RollUP stretchers
are available in 3 different shapes**

RL2000 Soft head area and lengthwise adjustable foot area



RL3000 Protective head area and closed foot area



RL4000 Protective head area and length adjustable foot area



**- and each stretcher with a choice of
Patient Restraint Straps with 3 different
buckles:**

RL2000RP – RL3000RP – RL4000RP

with heavy duty plastic quick-release buckle
RLP2004HD



RL2000RS – RL3000RS – RL4000RS

with heavy duty steel frame buckle
with sliding bridge
RLP2004



RL2000RX – RL3000RX – RL4000RX

with heavy duty COBRA steel
quick-release buckle
RLP2006



RollUP stretchers are available with 4 different lifting bridles:



Integrated Lifting Bridle with fixed length

Art. No.	Page
RL2000RP-V03	10-11
RL2000RS-V03	
RL2000RX-V03	
RL3000RP-V03	18-19
RL3000RS-V03	
RL3000RX-V03	
RL4000RP-V03	26-27
RL4000RS-V03	
RL4000RX-V03	

Integrated Lifting Bridle with adjustable length

Art. No.	Page
RL2000RP-V13	12-13
RL2000RS-V13	
RL2000RX-V13	
RL3000RP-V13	20-21
RL3000RS-V13	
RL3000RX-V13	
RL4000RP-V13	28-29
RL4000RS-V13	
RL4000RX-V13	

Lifting Bridle Balance steplessly adjustable







Art. No.	Page
RL2000RP-V23	14-15
RL2000RS-V23	
RL2000RX-V23	
RL3000RP-V23	22-23
RL3000RS-V23	
RL3000RX-V23	
RL4000RP-V23	30-31
RL4000RS-V23	
RL4000RX-V23	







Standard with fixed length, RLP2034, RLP2046






Art. No.	Page
RL2000RP-V33	16-17
RL2000RS-V33	
RL2000RX-V33	
RL3000RP-V33	24-25
RL3000RS-V33	
RL3000RX-V33	
RL4000RP-V33	32-33
RL4000RS-V33	
RL4000RX-V33	

RollUP with integrated Lifting Bridle with fixed length

RL2000RP-V03 - RL2000RS-V03 - RL2000RX-V03

<p>Patient restraint straps, 4 pcs RLP2004HD (RL2000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL2000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL2000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2219 2 pcs</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 
---	--	--	---

<p>Leg protection RLP2022-3R</p> 	<p>Carry handle RLP2030 2 pcs, green</p> 
<p>Pelvis protection RLP2022-2R</p> 	<p>Open Ring P28 2 pcs</p> 
<p>Thorax protection RLP2022-1R</p> 	<p>Karabiner M72A TL</p> 

<p>Head strap with integrated vertical lifting strap RLP2227 2 pcs</p> 	<p>Spine protection RLP2028R</p> 	<p>Carry handles with integrated horizontal lifting strap with fixed length RLP2228Y 2 pcs, yellow</p>  <p>RLP2228Y 2 pcs, black</p>  <p>RLP2228R 2 pcs, red</p> 
---	---	---

Specification

<p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL2000RP/RS/RX-V03: 7,8kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
--	---



Rescue stretcher with integrated Lifting Straps with fixed length, Karabiner, Open Ring & Backpack Carrier

RL2000RP-V03 Patient restraint straps with Plastic Quick-release buckle

RL2000RS-V03 Patient restraint straps with steel frame buckle with sliding bridge

RL2000RX-V03 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP200R-V01 Base plate

RLP2002 Retainer strap

RLP2227 Head strap with vertical lifting straps, 2 pcs

RLP2219 Foot strap, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2228B Carry handle with lifting strap, black, 2 pcs

RLP2228Y Carry handle with lifting strap, yellow, 2 pcs

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (**RL2000RP-V03**)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (**RL2000RS-V03**)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (**RL2000RX-V03**)

M72ATL Steel karabiner



P28 Open Ring, 2 pcs













RLP2000R-V02 Backpack carrier










RollUP with integrated Lifting Bridle with adjustable length

RL2000RP-V13 - RL2000RS-V13 - RL2000RX-V13

<p>Patient restraint straps, 4 pcs RLP2004HD (RL2000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL2000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL2000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2219 2 pcs</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 
---	---	--	---

<p>Leg / Knee protection RLP2022-3R</p> 	<p>Pelvis protection RLP2022-2R</p> 	<p>Thorax protection RLP2022-1R</p> 	<p>Carry handle RLP2030 Green, 2 pcs</p> 
--	--	--	--

<p>Karabiner M72ATL</p> 	<p>Head strap RLP2219 2 Stk.</p> 	<p>Carry handles with integrated lifting straps with adjustable length for horizontal and vertical lifting RLP2069B Black, 2 pcs</p>  <p>RLP2069Y Yellow, 2 pcs</p>  <p>Carry handle with fixed length RLP2228R Red, 2 pcs</p> 
--	--	--

<p>Spine protection RLP2028R</p> 	<p>Open Ring P28 2 pcs</p> 
---	--

Specification

<p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL2000RP/RS/RX-V13: 8,0kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
--	---



Rescue stretcher with integrated Lifting Bridle with adjustable length, Karabiner, Open Ring & Backpack Carrier

RL2000RP-V13 Patient restraint straps with plastic Quick-release buckle

RL2000RS-V13 Patient restraint straps with steel frame buckle with sliding bridge

RL2000RX-V13 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP200R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Head/Foot strap, 4 pcs.

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 pcs

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2069B Carry handle with integrated lifting strap with adjustable length, black, 2 pcs

RLP2069Y Carry handle with integrated lifting strap with adjustable length, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL2000RP-V13)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL2000RS-V13)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL2000RX-V13)

M72ATL Steel karabiner

P28 Open Ring, 2 pcs


RLP2000R-V02 Backpack carrier












RollUP for usage with Lifting Bridle BALANCE

RL2000RP-V23 - RL2000RS-V23 - RL2000RX-V23

<p>Patient restraint straps, 4 pcs RLP2004HD (RL2000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL2000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL2000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2219 2 pcs</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 
---	---	--	---



<p>Leg protection RLP2022-3R</p> 	<p>Pelvis protection RLP2022-2R</p> 	<p>Thorax protection RLP2022-1R</p> 	<p>Carry handle RLP2030 Green, 2 pcs</p> 	<p>Carry handle with loop for Karabiner RLP2307 Yellow, 2 pcs</p> 	<p>Carry handle with loop for Karabiner RLP2308 Black, 2 pcs</p> 	<p>Carry handle with loop for Karabiner RLP2306 Red, 2 pcs</p> 
<p>Head strap RLP2219 2 pcs</p>	<p>Spine protection RLP2028R</p> 	<p>Lifting bridle RLPBAX01.2</p> 				

Specification

<p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL2000RP/RS/RX-V23: 9,6kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
--	---

Rescue stretcher with Lifting Bridle BALANCE & Backpack Carrier

RL2000RP-V23 Patient restraint straps with Plastic Quick-release buckle

RL2000RS-V23 Patient restraint straps with steel frame buckle with sliding bridge

RL2000RX-V23 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP200R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Head/Foot strap, 4 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL2000RP-V23)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL2000RS-V23)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL2000RX-V23)



















RLPBAX01.2 Lifting Bridle BALANCE

RLP2007R-V02 Backpack Carrier



RollUP for usage with Lifting Bridle STANDARD

RL2000RP-V33 - RL2000RS-V33 - RL2000RX-V33

<p>Patient restraint straps, 4 pcs RLP2004HD (RL2000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL2000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL2000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2219 2 pcs</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 		
<p>Leg protection RLP2022-3R</p> 			<p>Carry handle RLP2030 Green, 2 pcs</p> 		
<p>Pelvis protection RLP2022-2R</p> 			<p>Carry handle with loop for Karabiner RLP2307 Yellow, 2 pcs</p> 		
<p>Thorax protection RLP2022-1R</p> 			<p>Carry handle with loop for Karabiner RLP2308 Black, 2 pcs</p> 		
<p>Spine protection RLP2028R</p> 			<p>Carry handle with loop for Karabiner RLP2306 Red, 2 pcs</p> 		
<p>Lifting bridle RLP2034</p> 			<p>Karabiner M72ATL</p> 		
<p>Specification</p>	<table border="1"> <tr> <td data-bbox="148 1809 576 2101"> <p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL2000RP/RS/RX-V33: 8,3kg</p> </td> <td data-bbox="576 1809 922 2101"> <p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p> </td> </tr> </table>		<p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL2000RP/RS/RX-V33: 8,3kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>	
<p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL2000RP/RS/RX-V33: 8,3kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>				

Rescue stretcher with Lifting Bridle STANDARD & Backpack Carrier

RL2000RP-V33 Patient restraint straps with Plastic Quick-release buckle

RL2000RS-V33 Patient restraint straps with steel frame buckle with sliding bridge

RL2000RX-V33 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP200R-V01 Base plate

RLP2002 Retainer strap

RLP2227 Head strap with vertical lift strap, 2 pcs

RLP2219 Foot strap, 2 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL2000RP-V33)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL2000RS-V33)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL2000RX-V33)



RLP2034 Lifting Bridle STANDARD

M72ATL Steel karabiner




RLP2007R-V02 Backpack Carrier



RollUP with integrated Lifting Bridle with fixed length

RL3000RP-V03 - RL3000RS-V03 - RL3000RX-V03



Specification

<p>Lying flat: Length: 254 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL3000RP/RS/RX-V03: 8,5kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
--	---




Rescue stretcher with integrated Lifting Straps with fixed length, Karabiner, Open Ring & Backpack Carrier

- RL3000RP-V03** Patient restraint straps with plastic Quick-release buckle
- RL3000RS-V03** Patient restraint straps with steel frame buckle with sliding bridge
- RL3000RX-V03** Patient restraint straps with Cobra Quick-release buckle

Consisting of:

- RLP300R-V01** Base plate
- RLP2002** Retainer strap
- RLP2217** Vertical lift strap, pair
- RLP2006F** Foot strap, 2 pcs
- RLP2022-1R** Thorax protection
- RLP2022-2R** Pelvis protection
- RLP2022-3R** Leg protection
- RLP2028R** Spine protection
- RLP2037R** Foot protection
- RLP2030** Carry handle green, 2 Stk.
- RLP2228R** Carry handle with integrated lifting strap, red, 2 pcs
- RLP2228B** Carry handle with integrated lifting strap, black, 2 pcs
- RLP2228Y** Carry handle with integrated lifting strap, yellow, 2 pcs
- RLP2004HD** Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL3000RP-V03)
- RLP2004** Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL3000RS-V03)
- RLP2006** Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL3000RX-V03)

M72ATL Steel karabiner 

P28 Open Ring, 2 pcs 

RLP2000R-V02 Backpack carrier



RollUP with integrated Lifting Bridle with adjustable length

RL3000RP-V13 - RL3000RS-V13 - RL3000RX-V13

<p>Patient restraint straps, 4 pcs RLP2004HD (RL3000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL3000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL3000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2006F 2 pcs</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 
---	--	--	---

Knee / Leg protection RLP2022-3R



Pelvis protection RLP2022-2R




Thorax protection RLP2022-1R



Carry handle RLP2030
 Green, 2 pcs



Open Ring P28
 2 pcs



Karabiner M72ATL



Carry handles with integrated lifting straps with adjustable length for horizontal and vertical lifting

RLP2069B
 Black, 2 pcs




RLP2069Y
 Yellow, 2 pcs



Carry handle with fixed length RLP2228R
 Red, 2 pcs



Spine protection RLP2028R

Specification

<p>Lying flat: Length: 254 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL3000RP/RS/RX-V13: 8,7kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
--	--



Rescue stretcher with integrated Lifting Bridle with adjustable length, Karabiner, Open Ring & Backpack Carrier

RL3000RP-V13 Patient restraint straps with plastic Quick-release buckle

RL3000RS-V13 Patient restraint straps with steel frame buckle with sliding bridge

RL3000RX-V13 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP300R-V01 Base plate

RLP2002 Retainer strap

RLP2006F Foot strap, 2 pcs.

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2069B Carry handle with integrated lifting strap with adjustable length, black, 2 pcs

RLP2069Y Carry handle with integrated lifting strap with adjustable length, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL3000RP-V13)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL3000RS-V13)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL3000RX-V13)

M72ATL Steel karabiner



P28 Open Ring, 2 pcs


















RLP2000R-V02 Backpack carrier



RollUP for usage with Lifting Bridle BALANCE

RL3000RP-V23 - RL3000RS-V23 - RL3000RX-V23

<p>Patient restraint straps, 4 pcs RLP2004HD (RL3000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL3000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL3000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2006F 2 pcs</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 
<p>Leg protection RLP2022-3R</p> 			<p>Carry handle RLP2030 Green, 2 pcs</p> 
<p>Pelvis protection RLP2022-2R</p> 			<p>Carry handle with loop for Karabiner RLP2307 Yellow, 2 pcs</p> 
<p>Thorax protection RLP2022-1R</p> 			<p>Carry handle with loop for Karabiner RLP2308 Black, 2 pcs</p> 
<p>Spine protection RLP2028R</p> 			<p>Carry handle with loop for Karabiner RLP2306 Red, 2 pcs</p> 
<p>Lifting bridle RLPBAX01.2</p>			

Specification

<p>Lying flat: Length: 254 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL3000RP/RS/RX-V23: 10,3kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
---	--



Rescue stretcher with Lifting Bridle **BALANCE** & Backpack Carrier

RL3000RP-V23 Patient restraint straps with Plastic Quick-release buckle

RL3000RS-V23 Patient restraint straps with steel frame buckle with sliding bridge

RL3000RX-V23 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP300R-V01 Base plate

RLP2002 Retainer strap

RLP2006F Foot strap, 2 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs.

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL3000RP-V23)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL3000RS-V23)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL3000RX-V23)



RLPBAX01.2 Lifting Bridle Balance



















RLP2007R-V02 Backpack Carrier



RollUP for usage with Lifting Bridle STANDARD

RL3000RP-V33 - RL3000RS-V33 - RL3000RX-V33

<p>Patient restraint straps, 4 pcs RLP2004HD (RL3000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL3000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL3000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2006F 2 pcs</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 
<p>Leg protection RLP2022-3R</p> 			<p>Carry handle RLP2030 Green, 2 pcs</p> 
<p>Pelvis protection RLP2022-2R</p> 			<p>Carry handle with loop for Karabiner RLP2307 Yellow, 2 pcs</p> 
<p>Thorax protection RLP2022-1R</p> 			<p>Carry handle with loop for Karabiner RLP2308 Black, 2 pcs</p> 
			<p>Carry handle with loop for Karabiner RLP2306 Red, 2 pcs</p> 
<p>Karabiner M72ATL</p>	<p>Vertical lifting strap RLP2217 pair</p> 	<p>Spine protection RLP2028R</p> 	

Specification

<p>Lying flat: Length: 254 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL3000RP/RS/RX-V33: 9,0kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
--	--

Lifting bridle RLP2034



Rescue stretcher with Lifting Bridle STANDARD & Backpack Carrier

RL3000RP-V33 Patient restraint straps with Plastic Quick-release buckle

RL3000RS-V33 Patient restraint straps with steel frame buckle with sliding bridge

RL3000RX-V33 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP300R-V01 Base plate

RLP2002 Retainer strap

RLP2006F Foot strap, 2 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs.

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL3000RP-V33)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL3000RS-V33)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL3000RX-V33)

RLP2034 Lifting Bridle STANDARD

RLP2217 Vertical Lifting strap, pair







M72ATL Karabiner







RLP2007R-V02 Backpack Carrier








RollUP with integrated Lifting Bridle with fixed length

RL4000RP-V03 - RL4000RS-V03 - RL4000RX-V03

<p>Patient restraint straps, 4 pcs RLP2004HD (RL4000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL4000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL4000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2219 2 pcs</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 
---	---	--	---

<p>Leg protection RLP2022-3R</p> 	<p>Pelvis protection RLP2022-2R</p> 	<p>Thorax protection RLP2022-1R</p> 	<p>Carry handle RLP2030 2 pcs, green</p> 	<p>Karabiner M72ATL</p> 	<p>Open Ring P28 2 pcs</p> 
---	--	--	--	--	--

<p>Vertical lifting strap RLP2217 pair</p> 	<p>Spine protection RLP2028R</p> 	<p>Carry handles with integrated horizontal lifting strap with fixed length RLP2228Y 2 pcs, yellow</p>  <p>RLP2228B 2 pcs, black</p>  <p>RLP2228R 2 pcs, red</p> 
--	--	--

Specification

<p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL4000RP/RS/RX-V03: 8,3kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
--	---



Rescue stretcher with integrated Lifting Straps with fixed length, Karabiner, Open Ring & Backpack Carrier

RL4000RP-V03 Patient restraint straps with plastic Quick-release buckle

RL4000RS-V03 Patient restraint straps with steel frame buckle with sliding bridge

RL4000RX-V03 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP400R-V01 Base plate

RLP2002 Retainer strap

RLP2217 Vertical lift strap, pair

RLP2219 Foot strap, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2228B Carry handle with lifting strap, black, 2 pcs

RLP2228Y Carry handle with lifting strap, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL4000RP-V03)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL4000RS-V03)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL4000RX)

M72ATL Steel karabiner



P28 Open Ring, 2 pcs




















RLP2000R-V02 Backpack carrier



RollUP with integrated Lifting Bridle with adjustable length

RL4000RP-V13 - RL4000RS-V13 - RL4000RX-V13

<p>Patient restraint straps, 4 pcs RLP2004HD (RL4000RP) with plastic Quick-release buckle</p>  <p>RLP2004 (RL4000RS) with steel frame buckle with sliding bridge</p>  <p>RLP2006 (RL4000RX) with Cobra Quick-release buckle</p> 	<p>Foot strap RLP2219 2 pcs.</p> 	<p>Retainer strap RLP2002</p> 	<p>Foot support RLP2037R</p> 	
<p>Leg protection RLP2022-3R</p> 				<p>Carry handle RLP2030 Green , 2 pcs</p> 
<p>Pelvis protection RLP2022-2R</p> 				<p>Karabiner M72ATL</p> 
<p>Thorax protection RLP2022-1R</p> 				<p>Open Ring P28 2 pcs</p> 
<p>Spine protection RLP2028R</p> 				<p>Carry handles with integrated lifting straps with adjustable length for horizontal and vertical lifting</p> <p>RLP2069B Black, 2 pcs</p>  <p>RLP2069Y Yellow, 2 pcs</p>  <p>Carry handle with fixed length RLP2228R Red, 2 pcs</p> 

Specification

<p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL4000RP/RS/RX-V13: 8,5kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
--	---



Rescue stretcher with integrated Lifting Bridle with adjustable length, Karabiner, Open Ring & Backpack Carrier

RL4000RP-V13 Patient restraint straps with plastic Quick-release buckle

RL4000RS-V13 Patient restraint straps with steel frame buckle with sliding bridge

RL4000RX-V13 Patient restraint straps with Cobra Quick-release buckle

Consisting of:

RLP400R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Foot strap, 2 pcs.

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot protection

RLP2030 Carry handle green, 2 Stk.

RLP2228R Carry handle with lifting strap, red, 2 pcs

RLP2069B Carry handle with integrated lifting strap with adjustable length, black, 2 pcs

RLP2069Y Carry handle with integrated lifting strap with adjustable length, yellow, 2 pcs

RLP2004HD Patient restraint straps with plastic Quick-release buckle, 4 pcs (RL4000RP-V13)

RLP2004 Patient restraint straps with steel frame buckle with sliding bridge, 4 pcs (RL4000RS-V13)

RLP2006 Patient restraint straps with Cobra Quick-release buckle, 4 pcs (RL4000RX-V13)

M72ATL Steel karabiner



P28 Open Ring, 2 pcs




RLP2000R-V02 Backpack carrier



RollUP for usage with Lifting Bridle BALANCE

RL4000RP-V23 - RL4000RS-V23 - RL4000RX-V23



Specification

<p>Lying flat: Length: 248 cm Width: 92 cm</p> <p>Rolled: Ø 27 cm</p> <p>Weight: RL4000RP/RS/RX -V23: 10,1 kg</p>	<p>Working temperature: -30°C to +50°C</p> <p>Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)</p>
---	--



Rescue stretcher with Lifting Bridle **BALANCE** & Backpack Carrier

RL4000RP-V23 Patient restraint straps with Plastic Quick-release buckle

RL4000RS-V23 Patient restraint straps with steel frame buckle with sliding bridge

RL4000RX-V23 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP400R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Head/Foot strap, 2 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs.

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL4000RP-V23)

RLP2004 Patient restraint straps with steel frame buckle, 4 pcs (RL4000RS-V23)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL4000RX-V23)




RLPBAX01.2 Lifting Bridle **Balance**

RLP2007R-V02 Backpack Carrier



RollUP for usage with Lifting Bridle STANDARD

RL4000RP-V33 - RL4000RS-V33 - RL4000RX-V33

Patient restraint straps, 4 pcs
RLP2004HD (RL4000RP)
 with plastic Quick-release buckle

RLP2004 (RL4000RS)
 with steel frame buckle with sliding bridge

RLP2006 (RL4000RX)
 with Cobra Quick-release buckle


Foot strap
RLP2219
 2 pcs


Retainer strap
RLP2002



Foot support
RLP2037R


Leg protection
RLP2022-3R



Pelvis protection
RLP2022-2R


Thorax protection
RLP2022-1R



Carry handle
RLP2030
 Green, 2 pcs



Carry handle with loop for Karabiner
RLP2307
 Yellow, 2 pcs


Carry handle with loop for Karabiner
RLP2308
 Black, 2 pcs


Carry handle with loop for Karabiner
RLP2306
 Red, 2 pcs


Vertical lifting strap
RLP2217
 pair


Spine protection
RLP2028R


Karabiner
M72ATL


Specification

Lying flat: Length: 248 cm Width: 92 cm Rolled: Ø 27 cm Weight: RL4000RP/RS/RX -V33: 8,8 kg	Working temperature: -30°C to +50°C Maximum load: 150 kg (Static: 600 kg Dynamic: 150 kg tested & certified by TÜV)
---	---

Lifting bridle
RLP2034




Rescue stretcher with Lifting Bridle STANDARD & Backpack Carrier

RL4000RP-V33 Patient restraint straps with Plastic Quick-release buckle

RL4000RS-V33 Patient restraint straps with steel frame buckle with sliding bridge

RL4000RX-V33 Patient restraint straps with Cobra Quick-release buckles

Consisting of:

RLP400R-V01 Base plate

RLP2002 Retainer strap

RLP2219 Head/Foot strap, 4 pcs

RLP2030 Carry handle, green, 2 pcs

RLP2306 Carry handle, red, 2 pcs

RLP2307 Carry handle, yellow, 2 pcs.

RLP2308 Carry handle, black, 2 pcs

RLP2022-1R Thorax protection

RLP2022-2R Pelvis protection

RLP2022-3R Leg protection

RLP2028R Spine protection

RLP2037R Foot support

RLP2004HD Patient restraint straps with Plastic Quick-release buckle, 4 pcs (RL4000RP-V33)

RLP2004 Patient restraint straps with steel frame buckle, 4 pcs (RL4000RS-V33)

RLP2006 Patient restraint straps with Cobra Quick-release buckles, 4 pcs (RL4000RX-V33)



RLP2034 Lifting Bridle STANDARD



RLP2217 Vertical Lifting strap, pair



M72ATL Karabiner



RLP2007R-V02 Backpack Carrier



Lifting Bridle BALANCE with stepless tilting function

RLPBAX01

Basic system

RLPBRX01


Positioning device for one rescuer



RLPBAX01.2
Weight: 2,2kg



RLPBRX01
Weight: 0,7kg



Lifting bridles STANDARD

RLP2034

length medium



RLP2046

length long



RLP2217

Vertical lifting
straps



Accessories

Tow straps


RLP2044

Tow strap with 2 handles & 2 karabiner, adjustable length



RLP2215SK

Tow strap with 2 handles & 2 karabiner, fixed length



Straps for patient positioning and fixing

RLP2226-V02

Foot straps for patient positioning and fixing, adjustable length



RLP2236

Shoulder straps for patient positioning and fixing, adjustable length



Pillow

VK20X02

Pillow, Inflatable



RLP2070R

Flotation device, rigid




RLP101

Flotation device, inflatable



Anti-Rotation-Rudder, foldable

RLP2600R-V01



Backpack carrier

RLP2007R-V04

Ergonomical, Heavy Duty

Diameter Ø 30 cm, Weight: 1,8 kg





Quality management in accordance with
EN ISO 9001 - EN ISO 13485

certified by



made by

Kohlbrat & Bunz GmbH

Loretostrasse 6-8

5550 Radstadt

Austria - Europe

T: +43 6452 7193 0

office@kohlbrat-bunz.com

www.kohlbrat-bunz.com